V new rene and	(2 Th 3 BYC)	DESCRIPTION	PC-21LOA-ITEM#9	70-210 -1 MEN
1	G.P.L. №. 51.32-88	Amplifier	manufacture freezing man is in internal and	14
2	104-1528-103	Capacitor	3 *	6
4	104-1023-204	Capacitor	3	6
5	104-1023-215	Capacitor	3	. 6
6	104-1024-247	Capacitor	3	6
7	104-1002-59	Capacitor	3	6
	104=1002=63	Capacitor	3	6
8	104-1016-139	Capacitor	3	ϵ
9	104-1023-217	Capacitor	3	6
3.0		Capacitor	3 (f	6
11	104-1017-13	Capacitor	. 3	6
12	104-0506-206	Capacitor	1	6
	104-0506-208	Capacitor	3	6
34	1.04=0506=210		3	·. 6
15	1.04=0506=154	Capacitor	5	7.2
16	1.04-0506-99	Capacitor	4	
17	1.04-0506-100	Capacitor	3	eriote.
18	104-0539-483	Capacitor	•	6
. 19	104-0506-181	Capacitor	3	
50	104-0506-212	Capacitor	9	18
22	104-0506-214	Capacitor	3	6
23	104-0506-216	Capacitor	6	12
2)1	104-0506-105	Capacitor	3	6
25	104-0506-50	Capacitor	6	12
26	104-0539-495	Capacitor	3	6
27	104-0506-106	Capacitor	3	6
28	104-0506-218	Capacitor	9	1.8
29	106-0501-274	Capacitor	3	6
30	104-0506-220	Capacitor	A L e ²	6
		, F. T.	3	6

Approved ซอการ์ (1999) คราย เกาะ (1999) คราย เกาะ (1999) คราย (19

31.

to .				QIY. TOR	Qty. FOR
LIEA	G.P.L. WO.	DESCRIPTION		PC-21OA-ITEM#	CT WOODS TO COMPANY AND ADDRESS OF THE PARTY
61	105-139-1	Connector		9	18
62	129-82-1	Coil, Choke		2	2
63	130-1-I\301	Diode		6	12
6ù,	130-9-1	Diode		3	6
65	130-1-M-343	D i .ode		33	65
66	138-83-1	Filter		2	2
68	138-84-1	Filter		2	b .
69	114,03-1	Rectifier			6
70	119-33-1	Relay		1	8
71	119-41-1	Relay		2	<i>l.</i> s
72	120-1027-1	Resistor	•	3	6
73	120-1515-55	Resistor		.3	6
74.	120-10-6205	Resistor		3	6
75	120-10-1515	Resistor		3	6
76.1	120-10-2215	Resistor		3	ė.
77.1	120-10-3315	Resistor			6
78.1	120-11-3315	Resistor		3	6
79	120-10-4715	Resistor		5 Ni	. 32
				p.t	4 · · · · · · · · · · · · · · · · · · ·
81.1	120-10-8215	Resistor		3	6
82	120-10-9115	Resistor		3	6
83	120-10-1025	Resistor		9	3.8
	1	A			4.5
8 5.1 .	120-111-1025	Resistor		3	6
86	120-10-1225	Resistor		3	6
87	120-10-1525	Resistor		6	32
89	120-1020-32	Resistor	•	. 3	6
90	120-1020-33	Resistor		3	6
	proved For Release	: 19 <u>99/09/0</u> 8 : CIA-F	RDP81B0	0879R@09001	50012-8 21
100	•				

ITE1	G. P. L. NO.	DESCRIPTION		QTY. FOR PC-210A-ITE #9	QTY. FOR FC-2 1 0-ITE #1
		•		# \$ #0	
93	120-10-3325	Resistor	. 14.6	9	18
95	120-10-4325	Resistor		3	6
96.1	120-10-4725	Resistor		3	6
97	120-10-5625	Resistor		3	6
98.1	120-12-5625	Resistor		3	6
99	120-10-6825	Resistor		12	24
101	120-39-301	Resistor	. •	3	6
103.1	120-11-1035	Resistor		3	6
1.0h	120-10-1535	Resistor	· ·	6	12
					(6)
106	120-10-1835	Resistor	· · · · · · · · · · · · · · · · · · ·	3	6
10?	120-10-2035	Resistor		3	6
108	120-10-2235	Resistor	Ξ .	12 -	24
			Ţ * .		-
110.1	120-11-2235	Resistor	-	20	39
111.1	120-11-2735	Resistor	0.30	3	6
112	120-11-3035	Resistor		3	6
113	120-10-3335	Resistor		3	6
115	120-10-3935	Resistor			22
				-	**************************************
117	120-10-4735	Resistor		9	• 0
					18
119	120-11-4735	Resistor		3	6
120	120-42-1801	Resistor		3	£
121.1	120-12-4735	Resistor	:	3	
		e 1999/09/08 : CIA-RD	P81B008	79R000900150012-	8 .

-		3			st p to the state of the state	
	DIMESA AOS	(in Palio III),	DESCRIPTION	•	210A-IVEF#9	917. FOR
	128	120-1031-50001	Resistor		3	6
	123	120-10-5635	Resistor	: · · · · · · · · · · · · · · · · · · ·	9	3. 8
	3.21.	320-1020-38	Resistor		3	6
	125	120-10-6235	Resistor		3	6
	126	3.20-1031-63601	Resistor		3	6
	1.27	320-39-1820	Resistor		3	6
	128	150-41-1801	Resistor		3	6
	129	120-11-6835	Resistor		6	12
				(s) . (r)		
	3.32.e2	120-12-6835	Registor		3	6
	132	120-11-9135	Resistor	*	3	6
	2.33	120-39-401	Resistor		6	12
	1.31.	120-10-1.045	Resistor	A	1.B	\$ 5
			~ °.			
	1.36.1	120-11-1045	Resistor		3	6
	237.1	220-12-1045	Resistor		3	5 .
	138	120-39-1821	Resistor		3	6
	140	120-10-1245	Resistor		3	5
	141	120-1031-14702	Resistor		3,	6
	143	1.20-39-418	Resistor		6	12
	34 L	120-10-1545	Resistor		25	30
	. 4					•
	146.1	120-12-1545	Resistor		3	5
	247	120-1020-37	Resistor		3	6
	148	120-10-1845	Resistor		9	1.3
	149.1	120-10-2045	Resistor		3	6
	3.50	120-10-2245	Resistor		15	30

ITEM NO.	G.P.L. <u>VO</u> .	DESCRIPTION	QTY. FOR PC-210A-ITEM9	0''Y. 5'0''. ''C-210-1 'EI\\delta 10
125	120-1021-27	Resistor	3	6
153	120-1025-5	Resistor	3	6
154.1	120-10-2745	Resistor	2և	цв
155	120-39-1807	Resistor	3	6
156	120-10-3045	Resistor	6	12
157	120-1028-1	Resistor	3	6
158	120-10-3345	Resistor	6	12
		⊕ ¥		
160.1	120-11-3345	Resistor	3	6
161	120-1031-43002	Resistor	3	6
765	120-1020-501	Resistor	3.	6
163	120-10-4745	Resistor	27	54
	:			
1,65	120-11-4745	Resistor	3	6
167	120-39-1808	Resistor	3	6
168	120-10-9145	Resistor	3 /	6
169	120-1032-10003	Resistor	3	6
170	120-39-501	Resistor	9	1.8
171	120-10-1055	Resistor	27	54
7	0	•		, (C)
1.73	120-39-1829	Resistor	3	6
1.74	120-1021-501	Resistor	3	6
1.75	120-10-1555	Resistor	9	78
1.77	120-39-1830	Resistor	6	12
1.78	120-39-1831	Resistor	3	6
1.79	120-10-2255	Resistor	3	6
180	Approved EngRelea	ise:1999/09/08 : C	CIA-RDP81B00879R00090	00150012-8

ITEM 10.	G.P.L. NO	DESCRIPTION	QTY. FOR PC-210A-ITE#9	Qty. FOR PC-21C-ITE #10
181	120-10-2755	Resistor	3	6
182	120-10-3955	Resistor	3	6
184.1	120-10-4755	Resistor	6	ĸ
185	121-0554-3	Resistor	3	6
186	121-0554-10	Resistor	3	6
190	120-49-307	Resistor	3	6
191	120-49-309	Resistor	3	6
1.94	120-39-234	Resistor	3	6
195	120-39-371	Resistor	3	. 6
1.96	120-39-1802	Resistor	3	5
197	7011-694	Resistor	3	6.
1.98	146-10-1	Tautsla mer	2	Ž,
1.99	146-58-1	Transformer	2	4
203	146-83-1	Transformer	2	· 1
507	130-2-5639	Electron Tube	3	6
205	130-2-5670WA	Electron Tube	6	12
206	130-10-1	Electron Tube	3	6
207	130-2-3033	Electron Tube	3	6 .
208	130-2-5687	Electron Tube	3	6
209	130-2-5702WA	Electron Tube	3	6
210	130-2-576 3HA	Electron Tube	3	6

ITEM NO.	G.P.L. NO.	DESCRIPTION	QTY. FOR PC-21.0A ITEM #9	Qty. FOR PC-210 Item #36
2]]	130-2-6021	ELECTRON TUBE	. 6	12
21.2	130-2-6111	ELECTRON TUBE	7	O
213	130-2-6112	ELECTRON TUBE	9	18
216	5132-71	TRANSFORMER	2	14
217	5132-125	TRANSFORMER	2	3
220	130-2-5725/6ASW/6187	ELECTRON TUBE	3	6
221	130-2-5726/6AL5/6097	ELECTRON TUBE	12	24
222	130-2-5751WA	ELECTRON TUBE	9	18
223	130-2-5814WA	ELF CTRON TUBE	′9	18
22l ₄	130~2-6AU6WA	ELECTRON TUPE	6	12
2 25	130-2-6336	ELECTRON TUBE	3	***
227	105-101-12	CONVECTOR	3	
228	105-101-22	CONNECTOR	3	4
229	105-122-520	CONNECTOR	3	. 6
230	105-154-1	CONTECTOR		6
231	105-141-315	COMMECTOR	3	6
23lı	159-1-1	CHOPPER	2	l _k
235	138-81-2	FILTER	2	. 48
236	138-85-1	FILTER	2	3
237	119-20-1	RELAY	6	12
238	119-35-4	RELAT	4	8
239	119-34-1	RELAY	3	6
2140	120-39-201	RESISTOR	3	6
241.1	120-10-2725	RESISTOR	6	12
249	201-26-1	BEARING AZIMUTH	*g	2
251	104-0506-103	CAP/ CITOR	3	6
252	104-0002-12	CAPACITOR	6	12
253 A p	103- 0 006-2 oproved For Release 199	CAPACITOR 9/09/08: CIA-RDP81	3 300879R0009001	6 0 012-8

TEM NO.	G.P.L. NO.	DESCRIPTION	QTY. FOR PC-210A ITE #9	PC-220 31 am
255	104-3002-36	CAPACITOR	3	6
256	104-2002-501	CAPACITOR	3	6
258	104-2002-72	CAPACITOR	3	6
260	104-1029-141	CAPACITOR	. 6	12
261	104-0506-25	CAPACITOR	3	6
262	104-0607-2	CAPACITOR	3	6
263	104-1546-205	CAPACITOR	6	7.2
264	104-1546-402	CAPACITOR	6	3.2
265	104-1546-403	CAPACITOR	6	12
266	104-1546-404	CAPACITOR	6	112
267	104-1547-401	CAPACITOR	12	24
268	104-1547-402	CAPACITOR	4	6
269	104-1547-403	CAPACITOR	4	6
270	118-34-1	COTTECTOR	3	6
271	104-1545-204	CAPACITOR	21	42
273	104-1545-208	CAPACITOR	6	12
275	104-1545-314	CAPACITOR	12	21;
276	104-0639-2	CAPACITOR	3	6
277	105-155-1	CON ECTOR	3	6
278	105-141-106	CONTECTOR	6	12
279	105-149-1	CABLE ASSY.	3	6
281	6411-111	COIL	3	6
283	101-81-54	COIL	6	12
284	101-84-1	COIL	2	ø
285	129-88-1	COIL	3	6
291	130-6-2	DIODE	3	6
293	105-122-020	CONNECTOR	3	6
294	105-123-520	CON ECTOR	3	6
295	Approved For Rele	ease 1999/09/08 :	CIA-RDP81B00879R00090015001	2-8 6

•			QTY. FOR	QTY FOR
ITEM NO.	G.P.L. NO.	DESCRIPTION	PC-21.OA Item #9	PC == 210 Item/
296	105-122-030	CONTECTOR	3	6
299	6111-139	GEAR	2 .	1,
302	201-8-8	PITCH BEARING	2	1,
304	6411151	PITCH SECTOR GEAR	2	**
		•		
306	120-10-4315	RESISTOR	3	6
307	120 -11-4725	RESIS TOR	3	6
30 8	120-10-8225	RESISTOR	3	6
309	120-12-8225	RESISTOR	3	6
310	120-10-9125	RESISTOR	3	6
311	120-10-1035	RESISTOR	3	6
312	120-11-3335	RESISTOR	3	6
313	120-10-6835	RESISTOR	3	6
314	120-10-1345	RESISTOR	3	6
315	105-151-1	CONTECTOR	3	6
31 8	120-48-481	RESISTOR	3	6
319	121-0554-9	RESISTOR	3	6
321	120-51-2205	RESISTOR	3	6
323	120-151-2215	RESISTOR	3	6
325	120-51-2235	RESISTOR	3	6
327	120-51-8235	RESISTOR	3	6
328	120-51-1045	RESISTOR	3	6
329	12351-3345	RESISTOR	3	6
330	120-51-4745	RESISTOR	6	12
331	120-51-1055	RESISTOR	3	6
332	120-51-1555	RESISTOR	6	12
333	120-53-301	RESISTOR	3	6
335	vpp roved for Rele	eas e 199 9/09/08 : CIA-RI	DP81B00879R000900150	012-8 6

2		1	~		12012	QTY.	more :
ITEI NO.		GaPalla MA	DESCRIPTION	QTY. PC-2	10A Item #9		10 Item #10
336		120-52-2003	Resistor		6		12
338		120-52-2006	Resistor		3		6
340		120-52-2008	Resistor		3		6
341		120-52-2009	Resistor		3		6 ,
342		120-52-2011	Resistor		3		6
347		120-1536-41	Resistor		3		6
349		6411-24	Switch		3		6
35 0		6411-179	Switch	above riche,	2		0
357	المستعملين المستعملين	130-2-3E29	Electron Tube		3		6
35 8		130-2-5636	Electron Tube		3		6
359		130-2-6203	Electron Tube	i	3		6
360		130-2-5896	Electron Tube	:	3	-1	6
361		6111-22	WaveGui.de		3		US.
366:		123-5-1	Synchro		9	1	18
3 68	Ġ,	110-11-1	Synchro		3		6
369		105-122-022	Connector		3		6
370		114-5-1	Lemp		8	-	16
371		122-1-1	Switch DPST		3		6
372		122-10-7	Switch		3		XO
373		6117-24	Drive Assembly		2		
375		61417-21	Motor-Gear Assembly		2		4
378		104-0642-1	Capacitor		3		6
379		110-12-1	Noise Generator		3		6
380		119-34-1	Relay Armature		3		6
			in the state of th		1.50 4.		(*
383	i e	1165106-1	Transformer		3		1
386		6111-78	Cable Assy		3		6
	Appro		1999/09/08 : CIA-RDP81I	B0087		12 _. -8	6
376		121-0558-1	Resistor		3		6